

## Test Report

No. NGBHG2200142501

Date: 28 Jan 2022

Page 1 of 5

NINGBO FILIN PACK CO.,LTD

DUNAO VILLAGE,YUNLONG TOWN,YINZHOU DISTRICT,NINGBO CITY,ZHEJIANG,CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as : PAPER CUP ,PAPER FOOD CONTAINER ,PAPER BOWL

SGS Job No. : NBHL2201000679CW - NB  
 Style No. : NOT PROVIDED  
 Item No. : NOT PROVIDED  
 Client Ref. Information : WHITE CARDBOARD PAPER,KRAFT PAPER , WHITE/BROWN PAPER, WHITE AND KRAFT PAPER WITH PE/PLA COATED  
 Date of Sample Received : 24 Jan 2022  
 Testing Period : 24 Jan 2022 - 28 Jan 2022  
 Test Requested : Selected test(s) as requested by client.  
 Test Method : Please refer to next page(s).  
 Test Results : Please refer to next page(s).

### Result Summary :

Test Requested	Conclusion
US FDA 21 CFR 176. 170-Chloroform-soluble extractive	PASS

Signed for and on behalf of  
 SGS-CSTC Standards Technical Services Co., Ltd. Ningbo Branch

*Sissie Peng*

Sissie Peng  
 Approved Signatory

scan to see the report



NGBHG2200142501



SGS-CSTC Standards Technical Services Co., Ltd.  
 Ningbo Branch Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.  
 Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1177, Lingyun Road, Hi-Tech Zone, Ningbo, Zhejiang, China 315040 tE&E (86-574)89070249  
 中国·浙江·宁波高新区凌云路1177号 邮编: 315040 tHL (86-574)89070271 tML (86-574)89070242 sgs.china@sgs.com

[www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
[sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## Test Report

No. NGBHG2200142501

Date: 28 Jan 2022

Page 2 of 5

Test Results :

Test Part Description :

Specimen No.	SGS Sample ID	Description	Material (claimed by the client)
SN1	NGB22-001425.001	Brown kraft paper box with PE coated	PAPER+PE COATED
SN2	NGB22-001425.002	White paper cardboard with PLA coated	PAPER+PLA COATED
SN3	NGB22-001425.003	Brown & white paper box	PAPER
SN4	NGB22-001425.004	Brown corrugated paper box	PAPER

### US FDA 21 CFR 176.170-Chloroform-soluble extractive

Test Method : With reference to US FDA 21 CFR 176.170 .

<u>Simulant Used</u>	<u>Time</u>	<u>Temperature</u>	<u>Max. Permissible Limit</u>	<u>Result of 001 Chloroform-solubl e extractives</u>
Distilled Water	24.00hr(s)	120°F	0.5mg/inch <sup>2</sup>	<0.2mg/inch <sup>2</sup>
n-Heptane	0.50hr(s)	70°F	0.5mg/inch <sup>2</sup>	<0.2mg/inch <sup>2</sup>
<u>Simulant Used</u>	<u>Time</u>	<u>Temperature</u>	<u>Max. Permissible Limit</u>	<u>Result of 002 Chloroform-solubl e extractives</u>
Distilled Water	24.00hr(s)	120°F	0.5mg/inch <sup>2</sup>	<0.2mg/inch <sup>2</sup>
n-Heptane	0.50hr(s)	70°F	0.5mg/inch <sup>2</sup>	<0.2mg/inch <sup>2</sup>
<u>Simulant Used</u>	<u>Time</u>	<u>Temperature</u>	<u>Max. Permissible Limit</u>	<u>Result of 003 Chloroform-solubl e extractives</u>
Distilled Water	24.00hr(s)	120°F	0.5mg/inch <sup>2</sup>	<0.2mg/inch <sup>2</sup>
n-Heptane	0.50hr(s)	70°F	0.5mg/inch <sup>2</sup>	<0.2mg/inch <sup>2</sup>
<u>Simulant Used</u>	<u>Time</u>	<u>Temperature</u>	<u>Max. Permissible Limit</u>	<u>Result of 004 Chloroform-solubl e extractives</u>
Distilled Water	24.00hr(s)	120°F	0.5mg/inch <sup>2</sup>	<0.2mg/inch <sup>2</sup>
n-Heptane	0.50hr(s)	70°F	0.5mg/inch <sup>2</sup>	<0.2mg/inch <sup>2</sup>



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CHINA Standards Technical Services Co., Ltd.  
Ningbo Branch Chemical Laboratory

No.1177, Lingyun Road, Hi-Tech Zone, Ningbo, Zhejiang, China 315040 tE&E (86-574)89070249  
中国·浙江·宁波高新区凌云路1177号 邮编: 315040 tHL (86-574)89070271 tML (86-574)89070242 sgs.china@sgs.com

[www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
sgs.china@sgs.com

## Test Report

No. NGBHG2200142501

Date: 28 Jan 2022

Page 3 of 5

### Remark:

- (1) hr = hour
- (2) < = less than
- (3) °F = Fahrenheit degree
- (4) mg/inch<sup>2</sup> = milligram per square inch



SGS-CSI Standards Technical Services Co., Ltd.  
Ningbo Branch Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1177, Lingyun Road, Hi-Tech Zone, Ningbo, Zhejiang, China 315040 tE&E (86-574)89070249  
中国·浙江·宁波高新区凌云路1177号 邮编: 315040 tHL (86-574)89070271 tML (86-574)89070242 sgs.china@sgs.com

[www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)


## Test Report

No. NGBHG2200142501

Date: 28 Jan 2022

Page 4 of 5

Sample photo:



SGS-CSI Standards Technical Services Co., Ltd.  
Ningbo Branch Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No. 1177, Lingyun Road, Hi-Tech Zone, Ningbo, Zhejiang, China 315040 tE&E (86-574) 89070249  
中国·浙江·宁波高新区凌云路1177号 邮编: 315040 tHL (86-574) 89070271 tML (86-574) 89070242 sgs.china@sgs.com

[www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)





SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*